

American POTATO JOURNAL

*Official Organ of the Potato
Association of America*

VOLUME 32

JANUARY - DECEMBER, 1955

EDITORS

WM. H. MARTIN, *Honorary Editor*

J. C. CAMPBELL, *Editor*

E. S. CLARK, *Associate Editor*

RUTGERS UNIVERSITY, NEW BRUNSWICK, NEW JERSEY

CECIL FRUTCHEY, *President*

R. W. HOUGAS, *Vice President*

W. J. HOOKER, *Secretary*

JOHN C. CAMPBELL, *Treasurer*

ARTHUR HAWKINS, *Past President*

DIRECTORS

PAUL EASTMAN

ORRIN TURNQUIST

WM. G. HOYMAN

STARKS FARMS INC.	Route 3, Rhinelander, Wisconsin
BACON BROTHERS	1425 So. Racine Ave., Chicago, 8, Illinois
L. L. OLDS SEED CO.	Madison, Wisconsin
FRANK L. CLARK, Founder — Clark Seed Farms	Richford, New York
RED DOT FOODS, INC.	Madison, Wisconsin
ROHM & HAAS COMPANY	Philadelphia, Pennsylvania
WISE POTATO CHIP CO.	Berwick, Pennsylvania
JOHN BEAN DIVISION, FOOD MACHINERY CORP.	Lansing 4, Michigan
S. KENNEDY & SONS, Growers and Shippers of Potatoes and Onions	Clear Lake, Iowa
OLIN MATHIESON CHEMICAL CORP.	Mathieson Bldg., Baltimore, 3, Maryland
AMERICAN AGRICULTURAL CHEMICAL CO.	Carteret, New Jersey
GREEN CROSS INSECTICIDES	Montreal, Ottawa, Canada
LOCKWOOD GRADER CORP.	Gering, Nebraska
EDWARD H. ANDERSON & CO.	1425 S. Racine Ave., Chicago, Illinois

INDEX TO VOLUME 32

Author and Title Index

- Akeley, R. V., F. J. Stevenson, P. T. Blood, E. S. Schultz, Reiner Bonde, and K. F. Nielsen. Merrimack: A new variety of potato resistant to late blight and ring rot and adapted to New Hampshire. 93-99.
- , F. J. Stevenson and C. E. Cunningham. Potato variety yields, total solids, and cooking quality as affected by date of vine killing. 304-313.
- , F. J. Stevenson, E. S. Schultz, Reiner Bonde, K. F. Nielsen, and Arthur Hawkins. Saco: A new late-maturing variety of potato, immune from common race of the late blight fungus, highly resistant to, if not immune from, net necrosis, and immune from mild and latent mosaics. 41-48.
- , F. J. Stevenson and Donald Merriam. Effect of planting dates on yields, total solids and frying and chipping qualities of potato varieties. 441-447.
- , see Stevenson, F. J.
- , see Webb, R. E.
- Albright, Linda C., see Kirkpatrick, Mary E.
- Bagnall, R. H., and R. H. E. Bradley. Notes on a virus latent in potato plants. 252-253.
- Bemis, Kris P. Increasing potato use through sales promotion. 23-29.
- Benson, Ezra Taft, letter, U. S. Secretary of Agriculture, comments on three basic questions currently vital to the national potato industry. 396-397.
- Blake, G. R., G. D. Brill, and J. C. Campbell. Studies on supplemental irrigation of potatoes in New Jersey. 327-331.
- Blood, P. T., see Akeley, R. V.
- Bonde, Reiner and Mildred Covell. Effects of spray treatments on yield rate and specific gravity of potatoes. 399-406.
- , see Akeley, R. V.
- , see Hyer, R. A.
- Bradley, George A., and Arthur J. Pratt. The effect of different combinations of soil moisture and nitrogen levels on early plant development and tuber set of the potato. 254-258.
- Bradley, R. H. E., see Bagnall, R. H.
- Brill, G. D., see Blake, G. R.
- Buck, R. W., Jr., see Webb, R. E.
- Callbeck, L. C., see Robinson, D. B.
- Campbell, J. C., see Blake, G. R.
- Chapman, H. W. Potato tissue culture. 207-210.
- Clement, P. W. Canadian inspection procedure. 228-232.
- Covell, Mildred, see Bonde, Reiner.
- Craft, C. C., see Heinze, P. H.
- Cunningham, C. E., see Akeley, R. V.
- Dallyn, S. L., see Sawyer, R. L.
- Eide, Carl J., see Wallin, J. R.
- Fernow, K. H. Seed potato inspection and certification in New York. 468-470.
- Findlen, Herbert. Effect of several chemicals on sprouting of stored table-stock potatoes. 159-167.
- , see Lutz, J. M.
- Folsom, Donald. Testing potato seedling varieties in Maine for field resistance to leafroll and for desirable horticultural characteristics. 372-385.
- Fults, Jess L. and Merle G. Payne. The effect of 2,4-D and maleic hydrazide on sprouting, yields, and color in Red McClure potatoes. 451-459.
- , see Payne, Merle G.
- Garrott, W. N. and A. E. Mercker. The commercial potato peeling industry. 150-156.
- Getchall, J. S., see Treadway, R. H.
- Graham, K. M. Distribution of physiological races of *Phytophthora infestans* (Mont.) DeBary in Canada. 277-282.
- Grainger, P. N., see Howatt, J. L.
- Greig, W. Smith and Ora Smith. Potato quality IX. Use of sequestering agents in preventing after-cooking darkening in pre-peeled potatoes. 1-6.
- Hansen, John, see Lutz, J. M.
- Harrington, W. O., see Olson, R. L.
- Hartman, R. E. Potato wart eradication program in Pennsylvania. 317-326.
- Hawkins, Arthur, see Akeley, R. V.
- Heinze, P. H., Paul C. Marth, and C. C. Craft. Further tests with 3-chloro-isopropyl-N-phenyl carbamate as a sprout inhibitor for potato tubers. 357-361.

- Heisler, E. G., see Treadway, R. H.
Hemphill, Perry, see Nylund, R. E.
Hooker, W. J., see Timian, Roland G.
Howatt, J. L. and P. N. Grainger. Some new findings concerning *Phytophthora infestans* (Mont.) De By. 180-188.
Hoyman, W. G., see Stevenson, F. J.
Highlands, M. E., see Treadway, R. H.
Hyre, R. A. Three methods of forecasting late blight of potato and tomato in north-eastern United States. 362-371.
———, and Reiner Bonde. Forecasting late blight of potato in northern Maine. 119-125.
King, J. R. Pollen and pollination studies on Irish potatoes. 7-14.
———. Irish potato pollen storage. 460-466.
———. Observations on the use of bags and on emasculation in potato pollination. 466-467.
Kirkpatrick, Mary E., Grace S. Linton, Beatrice M. Mountjoy, and Linda C. Albright. Flavor tests on potatoes grown in soil where lindane was applied to cucumbers. 259-264.
Kunkel, R., see Watada, Alley E.
Linton, Grace S., see Kirkpatrick, Mary E.
Lutz, J. M., Herbert Findlen, and John Hansen. Efficiency of various methods of washing Red River Valley potatoes. 340-345.
———, see Nylund, R. E.
MacGillivray, M. E. A method of rearing potato-infecting aphids throughout the year in the greenhouse. 67-68.
MacLeod, H. S. Certified seed potato control areas in British Columbia, Canada. 112-115.
Maramorosch, Karl. Seedlings of *Solanum tuberosum* L., as indicator plants for potato leafroll virus. 49-50.
Marth, Paul C., see Heinze, P. H.
McLean, John G., see Stevenson, F. J.
Merchant, Charles H. Consumer acceptance of potatoes of various qualities. 189-191.
Mercker, A. E. Utilization of the 1954 potato crop. 69-73.
———, see Garrott, W. N.
Mountjoy, Beatrice M., see Kirkpatrick, Mary E.
Moursi, M. A. Effect of intensity, and width of inter-row tillage on the yield of the potato crop. 211-214.
Nielsen, K. F., see Akeley, R. V.
Nissen, M. The weight of potatoes in water. 332-339.
Nylund, R. E., Perry Hemphill, J. M. Lutz, and Harold Sorenson. Mechanical damage to potatoes during harvesting and handling operations in the Red River Valley of Minnesota and North Dakota. 237-247.
Olson, R. L., and W. O. Harrington. The technology of potato granule manufacture. 106-111.
Payne, Merle G., and Jess L. Fults. The effect of maleic hydrazide and 2,4-D on reducing sugars and sucrose of Red McClure potatoes. 144-149.
Peterson, C. E., see Timian, Roland G.
Pratt, Arthur J., see Bradley, George A.
Pusateri, Francis P. Luck or logic? 195-196.
Rao, S. N. and S. H. Wittwer. Further investigations on the use of maleic hydrazide as a sprout inhibitor for potatoes. 51-59.
Rasmussen, M. P. Potato specific gravity studies. 192-194.
Rieman, G. H. and J. H. Schultz. Red Beauty: A new bright-red medium-maturing variety of potato, resistant to *Verticillium* wilt. 346-349.
———, and Donald A. Young. Antigo: A new white, medium-maturing potato variety resistant to common scab. 407-410.
Robinson, D. B. and L. C. Callbeck. Stem streak necrosis of potato in Prince Edward Island. 418-423.
———, see Wright, N. S.
Rostom, E., see Silberschmidt, K.
Sawyer, R. L. and S. L. Dallyn. The effect of gamma irradiation on storage life of potatoes. 141-143.
Sawyer, Richard L. and Ora Smith. A study of the oxygen-periderm relationship in potato tubers and the effect of oxygen on the normal breaking of the rest period. 15-22.

- Schultz, E. S., see Akeley, R. V.
 —, see Webb, R. E.
 Schultz, J. H., see Rieman, G. H.
 Silberschmidt, K. and E. Rostom. A valuable indicator plant for a strain of potato virus Y. 222-227.
 Smith, Ora. How to grow and store potatoes for the chip industry. 265-271.
 —. "Report on Research" presented at summer conference at Skytop, Pa., June 20, 1955. 314-315.
 —, see Greig, W. Smith.
 —, see Sawyer, Richard L.
 Sorenson, Harold, see Nylund, R. E.
 Stevenson, F. J., R. V. Akeley and R. E. Webb. Reactions of potato varieties to late blight and insect injury as reflected in yields and percentage solids. 215-221.
 —, John G. McLean, W. G. Hoyman and R. V. Akeley. Early Gem: A new early, russet-skin, scab-resistant variety of potato adapted to the early potato-producing sections of Idaho and to certain sections of North Dakota. 79-85.
 —, see Akeley, R. V.
 Taylor, Gordon S., see Waggoner, Paul E.
 Thurston, H. David, see Wallin, J. R.
 Timian, Roland G., C. E. Peterson, and W. J. Hooker. Immunity to virus X in potato: Selection of immune plants in the breeding program. 411-417.
 Tolaas, A. G. Early seed potato work in Minnesota. 470-471.
 Treadway, R. H., E. G. Heisler, R. T. Whittenberger, M. E. Highlands, and J. S. Getchell. Natural dehydration of cull potatoes by alternate freezing and thawing. 293-303.
 Waggoner, Paul E. Radiation and resistance of tubers to rot. 448-450.
 —, and Gordon S. Taylor. Experiments in the control of *Verticillium* wilt of potatoes in Connecticut 1954. 168-172.
 Wallin, J. R., Carl J. Eide and H. David Thurston. Forecasting potato late blight in Minnesota. 100-105.
 Watada, Alley E. and R. Kunkel. The variation in reducing sugar content in different varieties of potatoes. 132-140.
 Webb, R. E. A new strain of the potato leaf roll virus. 173-179.
 —, and R. W. Buck, Jr. A diagnostic host for potato virus A. 248-252.
 —, E. S. Schultz, and R. V. Akeley. Some variations in symptomatology and transmission of leafroll in potato. 60-66.
 —, see Stevenson, F. J.
 Werner, H. O. Potato planting rates with dryland culture in western Nebraska. 197-206.
 Westover, K. C. The effect of periodical potato top removal on yields. 126-131.
 Whittenberger, R. T., see Treadway, R. H.
 Wittwer, S. H., see Rao, S. M.
 Wright, N. S., and D. B. Robinson. Potato wildings in Canada. 86-92.
 Young, Donald A., see Rieman, G. H.
 Zafar, Mohamed Aslam. Application of certain hormones to prevent flower abscission in two potato (*Solanum tuberosum*) varieties. 283-292.

Subject Index

- Abstracts of papers, see Potato Association of America.
 Acreage guides announced, 436-437.
 — see Luck or Logic?
 Antigo, new white variety resistant to common scab, 407-410.
 Aphid rearing throughout the year, 67-68.
 Basic questions vital to potato industry, 396-397.
 Blight, late, forecasting, 100-105, 119-125, 275, 362-371.
 — see Merrimack
 — see Potato varieties
 — see Saco
 Breeding, see Potato.
 British Columbia, see Seed.
 Canada, see Potato wildings.
 — see *Phytophthora infestans*.
 Canadian, see Inspection.
 Certification in New York, 468-470.

- Certified, see Seed.
- Chip industry, how to grow and store potatoes for, 265-271.
see Research report.
- Chloro IPC, see 3-chloro I P C.
- Cooking Quality — predicted, 353.
see Vine killing.
- Consumer acceptance of potatoes, 189-191.
- Connecticut, see *Verticillium* wilt control.
- Damage during harvesting and handling, 237-247.
- Darkening, after cooking, see Sequestering agents.
- Dehydrated mashed potatoes (potato flakes) announced by USDA, 35.
the technology of potato granule manufacture, 106-111.
- Dehydration, natural, by freezing and thawing, 293-303.
- Dryland culture, see Potato planting rates.
- Dutch Potato Atlas published, 352.
- Early Gem, early scab-resistant variety, 79-85.
- Edmondson, Wilbur Clifford, honored, 393-394.
- Fernow, Karl Herman, honored, 392-393.
- Flavor tests on potatoes grown where lindane was applied to cucumbers, 259-264.
- Flower abscission, see Hormones.
- Folsom, Donald, honored, 33.
- Freezing, see Dehydration.
- Fungicide test results published, 352.
- Gamma irradiation effect on storage life of potatoes, 141-143.
see Radiation.
- Granule manufacture, see Dehydrated.
- Harvesting, see Mechanical damage.
- Hormones, for prevention of flower abscission, 283-292.
see Maleic hydrazide.
- Horticultural characteristics, see Seedling testing.
- Host, diagnostic, see Virus A.
- Idaho, see Early Gem.
- Import regulations issued, 115, 436.
- Indicator plants, see Leafroll.
see Virus Y.
- Insect injury, see Potato varieties.
- Inspection of Canadian table potatoes, 228-232.
see Certification.
- Irrigation in New Jersey, 327-331.
- Irradiation, see Gamma irradiation.
- Kern County plans potato price study, 439.
- Late blight, see Blight.
- Latent, see Virus.
- Leafroll, seedlings of *Solanum tuberosum* as indicator plants, 49-50
variations in symptoms and transmission, 60-66.
a new strain, 173-179.
see Seedling testing.
- Lindane, see Flavor tests.
- Luck or Logic?, 195-196.
- Maine, see Blight forecasting.
see Seedling testing.
- Maleic hydrazide, as a sprout inhibitor, 51-59.
and 2,4-D, effect on reducing sugars and sucrose of Red McClures, 144-149.
and 2,4-D, effect on sprouting, yields and color of Red McClures, 451-459.
- Mechanical damage during harvesting and handling in the Red River Valley, 237-247.
- Mercker, Albert E., honored, 394.
- Merrimac, a new variety resistant to late blight and ring rot and adapted to New Hampshire, 93-99.
- Minnesota, see Late blight forecasting.
see Mechanical damage.
- Moisture meters for irrigation, 77.
- Moore, Henry Carlton, honored, 34.
- Mosaic, see Saco.
- Nebraska, see Potato planting rates.
- Nematology workshop, 115-116.

- Net necrosis, see Saco.
Netherlands, see Varieties.
New Hampshire, see Merrimack.
New Jersey, see Irrigation.
New York, see Inspection.
Nitrogen level, see Soil moisture.
Northeastern United States, see Blight.
North Dakota, see Early Gem.
 see Mechanical damage.
Oxygen, effect on breaking rest period, 15-22.
Pennsylvania, see Potato wart.
Phytophthora infestans, some new findings concerning, 180-188.
 distribution in Canada, 277-282.
Plant development, see Soil moisture.
Potato Association of America, abstracts of papers, 386-391, 424-431.
 announcement of annual meeting, 235-236.
 financial statement, 39, 435.
 handbook announced, 350.
 minutes of meetings, 36-38, 431-434.
Potato breeding in the Netherlands, reprint, 74-76.
 chips, see Chip industry.
 industry, see Basic questions.
 peeling industry, 150-156.
 planting dates, effect on yield, solids, frying and chipping qualities, 441-446.
 planting rates in western Nebraska, 197-206.
 pollen studies, 7-14.
 pollen storage, 460-466.
 pollination, affected by use of bags and emasculation, 466-467.
 pre-peeled darkening, see Sequestering agents.
 pre-peeling service increases, 437-438.
 promotion increases use, 23-29.
 quality, see Sequestering agents.
 research committee meets, 116-117.
 tillage, effect of intensity and width on yield, 211-214.
 tissue culture, 207-210.
 utilization 1954, 69-73.
 varieties, reaction to late blight and insect injury, 215-221.
 weight in water, 332-339.
 wildings in Canada, 86-92.
Prince Edward Island, see Stem streak necrosis.
Quality, see Consumer acceptance.
 see Sequestering agents.
 see Specific gravity.
Radiation and resistance of tubers to rot, 448-450.
Red Beauty, a bright-red variety resistant to *Verticillium* wilt, 346-349.
Red McClure, see Maleic hydrazide.
Red River Valley, see Mechanical damage.
 see Washing efficiency.
Reducing sugar content in different varieties, 132-140.
 see Maleic hydrazide.
Research report on chippers conference, 314-315.
Rest period, see Oxygen.
Ring Rot, see Merrimack.
Rot, see Radiation.
Saco, a late variety immune from common race of late blight highly resistant from
 net necrosis and mosaic, 41-48.
Scab, see Antigo.
 see Early Gem.
Scannell, James Wesley, honored 395.
Seed, certified areas in British Columbia, 112-115.
Seedling testing in Maine for resistance to leafroll, 372-385.
Sequestering agents prevent after-cooking darkening in pre-peeled potatoes, 1-6.
Soil moisture and nitrogen level effect tuber set, 254-258.
Solids, see Potato varieties.
 see Vine killing.

- Specific gravity studies, 192-194.
 - see Potato weight in water.
 - see Spray treatments.
- Spray treatments, effect on yield and specific gravity, 399-406.
- Sprout inhibition, effect of several chemicals, 159-167.
 - see Maleic hydrazide.
 - see 3-chloro isopropyl-N-phenyl carbamate.
- Stem streak necrosis in Prince Edward Island, 418-423.
- Storage, see Chip industry.
- Storage life, see Gamma irradiation and Radiation.
 - see Potato pollen storage.
- Sucrose, see Maleic hydrazide and 2,4-D.
- Tissue culture, see Potato tissue culture.
- Thawing, see Dehydration.
- 3-chloro-isopropyl-N-phenyl carbamate as a sprout inhibitor, 357-361.
- Tolaas, A. G., honored, 30-31.
- Top removal, effect on yield, 126-131.
- Tuber set, see Soil moisture.
- 2,4-D, see Maleic hydrazide and 2,4-D.
- "United" publishes reference list, 353.
- USDA Yearbook of Agriculture titled "Water" announced, 439-440.
- Varieties, new, in the Netherlands, 350-352.
 - see Antigo.
 - see Merrimac.
 - see Red Beauty.
 - see Saco.
- Verticillium* wilt control in Connecticut, 168-172.
 - see Red Beauty.
- Vine killing, effect on yields, solids, and cooking quality, 293-303.
- Virus A, a diagnostic host for, 248-252.
 - latent in potato, 252-253.
 - X, immunity in the breeding program, 411-417.
 - Y, indicator plant, 222-227.
- Wart, eradication program in Pennsylvania, 317-326.
- Washing, efficiency of Red River Valley potatoes, 340-345.
 - potatoes in Holland, 471-472.
- Weight of potatoes in water, see Potato.
- Werner, H. O., honored, 31-32.
- Yield, see Potato varieties.
 - see Tillage.
 - see Top removal.
 - see Spray tests.
 - see Vine killing.

ERRATUM

In the August 1955 issue, page 286, the second sentence in paragraph 3 should read: The four-inch stage has shown significant superiority over bud stage as far as flower set is concerned and it also appears to be better than the other stages, though the difference is not mathematically significant.